

Labeling plate for potentiometer, black label, white font, with inscription: 0...9 Outer diameter 40 mm







Product brand name	SIRIUS ACT
Product designation	Labeling plate
Design of the product	for potentiometers
Product type designation	3SU1

General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
<ul style="list-style-type: none"> for railway applications acc. to DIN EN 61373 	
Vibration resistance	Category 1, Class B
<ul style="list-style-type: none"> for railway applications acc. to DIN EN 61373 	

Accessories	
Material of accessory	Plastic
Mounting type of label	without
Marking of the name plate for command devices	SYMBOL: 0 ... 9 (for potentiometer)
Shape of the name plate for command devices	round
Color of the label	black/white (plate/text)
Printed ISO symbols	SYMBOL: 0 ... 9 (for potentiometer)

Certificates/ approvals	
-------------------------	--

General Product Approval			Declaration of Conformity	Test Certificates
 CSA	 UL		 EG-Konf.	Miscellaneous Type Test Certificates/Test Report

Marine / Shipping					other
 ABS	 LRS	 PRS	 RINA	 RMRS	Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0BG16-0RT0>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0BG16-0RT0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0BG16-0RT0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0BG16-0RT0&lang=en



last modified:

05/15/2020