



CorePro LEDcapsule MV

LEDcapsule 25W G9 827 100-240 ND

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap-Base	G9 [G9]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	15000X
Technical Type	1.6-25W
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	300 °
Luminous Flux (Nom)	160 lm
Luminous Intensity (Nom)	25 cd
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	1.6 W
Lamp Current (Max)	22 mA
Lamp Current (Min)	15 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	100-240 V
Temperature	
T-Ambient (Max)	40 °C
T-Ambient (Min)	-20 °C
T-Case Maximum (Nom)	60 °C
Controls and Dimming	
Dimmable	No

CorePro LEDcapsule MV

Approval and Application


Suitable For Accent Lighting Yes

Product Data

Full product code	871869671332700
Order product name	LEDcapsule 25W G9 827 100-240 ND
EAN/UPC - Product	8718696713327

Order code	929001323312
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001323312
Net Weight (Piece)	0.012 kg


Dimensional drawing




MV 110-240V 1.7W-25W 160lm 2700K G9 ND

Product	D	C
LEDcapsule 25W G9 827 100-240 ND	20 mm	47.5 mm


Photometric data



LEDcapsule_1,6W_G9



LEDcapsule_1,6W_G9_827



LEDcapsule_1,6W_G9_827

CorePro LEDcapsule MV

Lifetime



15K LED

15K LMP

