

Essential LEDtube

CorePro LEDtube T8 8ft 30W865 WV FA8

Essential LEDtube is an affordable LED tube that is suitable for replacing T8 fluorescent lamps. The product provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution.

Product data

General Information	
Cap-Base	FA8 [FA8]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	36000 h
Switching Cycle	50000X
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	240 °
Luminous Flux (Nom)	3500 lm
Correlated Color Temperature (Nom)	6500 K
Color Consistency	ANSI
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	30 W
Lamp Current (Max)	275 mA
Lamp Current (Min)	120 mA
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9


Voltage (Nom)	120-277 V
Temperature	
T-Ambient (Max)	45 °C
T-Ambient (Min)	-20 °C
T-Storage (Max)	65 °C
T-Storage (Min)	-40 °C
T-Case Maximum (Nom)	45 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Product Length	2400 mm
Approval and Application	
Energy Saving Product	Yes
Approval Marks	UL certificate RoHS compliance
Product Data	
Full product code	871869960388500
Order product name	CorePro LEDtube T8 8ft 30W865 WV FA8
EAN/UPC - Product	8718699603885

Essential LEDtube

Order code	929001950812
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001950812


Net Weight (Piece)	0.540 kg
--------------------	----------

Dimensional drawing




Product	D1	D2	A1	A2	A3
CorePro LEDtube T8 8ft	25.5 mm	28 mm	2366.9 mm	2375.8 mm	2384.7 mm
30W865 WV FA8					


Photometric data



30W FA8 840 4000K




LEDtube 1200 mm 21 W, 865, G13, T8, UO




30W FA8 865 6500K


Lifetime




30W FA8




30W FA8



30W FA8



30W FA8



30W FA8

Essential LEDtube

