

CHSPT2ULTRA



Specifications

GENERAL SPECIFICATIONS

PRODUCT NAME

Eaton CHSPT2 surge protection device

CATALOG NUMBER

CHSPT2ULTRA

UPC

786685436883

PRODUCT LENGTH/DEPTH

7 IN

PRODUCT HEIGHT

2.5 IN

PRODUCT WIDTH

5 IN

PRODUCT WEIGHT

1 LB

WARRANTY

Limited lifetime

CERTIFICATIONS

cUL Certified
UL 1449
UL Recognized

PRODUCT SPECIFICATIONS

SPECIAL FEATURES

Meets or exceeds the requirements specified in IBC @2006, CBC2007, and UBC@Zone 4

INTERRUPT RATING

200 kAIC

PHASE

Single-phase

ENCLOSURE

NEMA 4

SURGE CURRENT

108 kA

NOMINAL DISCHARGE CURRENT

20 kA

SHORT CIRCUIT RATING

22000 KA

TYPE

Surge protection device

OPERATING VOLTAGE

150V L-N, 300V L-L

FREQUENCY RATING

60 Hz

OPERATING TEMPERATURE

-40 to 50 °C

VOLTAGE RATING

120/240V

PROTECTION

600V L-N, 1000V L-L, 800V N-G, 600V L-G

Download Links

Brochures



[Mike Holmes - Type 2 Surge Products](http://www.eaton.com/ecm/idcplg?IdcService=GET_FILE&allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&Rendition=Primary&dDocName=BR00414002E) (http://www.eaton.com/ecm/idcplg?IdcService=GET_FILE&allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&Rendition=Primary&dDocName=BR00414002E)



[Eatons Volume 1-Residential and Light Commercial](http://www.eaton.com/ecm/idcplg?IdcService=GET_FILE&allowInterrupt=1&RevisionSelectionMethod=LatestReleased&Rendition=Primary&dDocName=CA08100002E) (http://www.eaton.com/ecm/idcplg?IdcService=GET_FILE&allowInterrupt=1&RevisionSelectionMethod=LatestReleased&Rendition=Primary&dDocName=CA08100002E)

Installation instructions



[Complete Home Surge Protection](http://www.eaton.com/ecm/idcplg?IdcService=GET_FILE&allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&Rendition=Primary&dDocName=IB00414001Y) (http://www.eaton.com/ecm/idcplg?IdcService=GET_FILE&allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&Rendition=Primary&dDocName=IB00414001Y)

More Eaton CHSPT2 surge protection device Models

(/us/en-us/skuPage.CHSPT2MAX.html)



CHSPT2MAX

